

Inspired Brands. Intelligent World.™



### Beauty we want to protect

Easy to apply protective film solutions that deliver optical clarity













### **About Avery Dennison**

Avery Dennison (NYSE:AVY) helps make brands more inspiring and the world more intelligent. For more than 75 years the company has been a global leader in pressure-sensitive technology and materials, retail branding and information solutions, and organization and identification products for offices and consumers. A FORTUNE 500<sup>®</sup> company with sales of \$6.5 billion in 2010, Avery Dennison is based in Pasadena, California and has employees in over 60 countries. For more information, visit **www.averydennison.com.** 

To learn more about solutions that match your specific business and material needs, please contact us at durablesteam@averydennison.com.

© 2011 Avery Dennison Corporation. All rights reserved. Fortune 500° is a trademark of Time, Inc. Avery Dennison and all other Avery brands, product names and copes are trademarks of the Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. Information displayed on samples depicted are fictitious. Any resemblance to actual products is purely coincidental.



Label and Packaging Materials

### Asia Pacific

32/F., Skyline Tower 39 Wang Kwong Road Kowloon Bay, Kowloon, Hong Kong *Tel:* +852 2802-9618

### **Europe**

Lammenschansweg 140 2321 JX Leiden The Netherlands Tel: +31 71 579-4100

### **Latin America**

Rodovia Vinhedo Viracopos, KM 7 7 CEP 13280-000 Vinhedo - SP, Brazil Tel: + 55 19 3876-7600

### North America

8080 Norton Parkway Mentor, OH 44060 *Tel:* 440-534-6000

## **Avery Dennison Protective Films**

Selection Guide

| Product<br>Code | Product<br>Description                   | Market Categories |                    |                      | Application    |        |         | Adhesive |      |         | Surface Function |       |               |                  |              |              | Application<br>Method |               | Release<br>liner M&M |           |           |
|-----------------|--|-------------------|--------------------|----------------------|----------------|--------|---------|----------|------|---------|------------------|-------|---------------|------------------|--------------|--------------|-----------------------|---------------|----------------------|-----------|-----------|
|                 |  |                   | ıdy                | ess                  |                |        |         | Silid    | cone | Acrylic |                  |       |               |                  |              |              |                       |               |                      |           |           |
|                 |  | After Market      | OEM consumer-ready | OEM work-in-progress | Mobile /Tablet | Laptop | Display | Non-ESD  | ESD  | Non-ESD | Anti-glare       | Gloss | Anti-bacteria | Anti-fingerprint | Anti-scratch | Printability | Roll to Roll          | Roll to Sheet | Black PET            | White PET | Clear PET |
| MZ1100          | 4M CL PET HAGF TC/R8001/2M CL PET        | •                 |                    |                      | •              | •      |         | •        |      |         | •                |       |               | •                | •            |              |                       | •             |                      |           | •         |
| MZ1101          | 4M CL PET HAB TC/R8001/2M CL PET         | •                 |                    |                      | •              |        |         | •        |      |         | 0                | •     | •             |                  | •            |              |                       | •             |                      |           | •         |
| MZ1102          | 4M CL PET HTC/R8087/2M CL PET            |                   | •                  | •                    | •              | •      | •       | •        | •    |         |                  | •     |               |                  | •            | •            | •                     |               | •                    | •         | •         |
| MZ1001          | 4M CL PET HTC/R8001/2M CL PET            | •                 | •                  | •                    | •              | •      | •       | •        |      |         |                  | •     |               |                  | •            | •            | •                     | •             | •                    | •         | •         |
| MZ1002          | 2M CL PET HTC/R8001/1M CL PET            |                   | •                  | •                    | •              | •      | •       | •        |      |         |                  | •     |               |                  | •            | •            | •                     |               |                      | •         | •         |
| MZ1003          | 2M CL PET HTC/R0302/2M CL PET            |                   | •                  |                      | •              |        | •       |          |      | •       |                  | •     |               |                  | •            | •            | •                     |               |                      |           | •         |
| MZ1004          | 2M CL PET HTC/R0302/1M CL PET            |                   | •                  |                      | •              |        | •       |          |      | •       |                  | •     |               |                  | •            | •            | •                     |               |                      |           | •         |
| MZ1007          | 2M CL PET/R0302/1M CL PET                |                   | •                  |                      | •              |        | •       |          |      | •       |                  | •     |               |                  |              |              | •                     |               |                      |           | •         |
| 75150           | 2 Mil Clear BOPP TC/R300/1 Mil Polyester |                   | •                  |                      | •              | •      | •       |          |      | •       |                  | •     |               |                  |              | •            | •                     |               |                      |           | •         |

Sample materials are provided for highlighted products

Optional

# Cover up without concealing

We know not all screen protectors are created equal.


To complement increasing demands for brilliant displays and high performance touchscreen interfaces, Avery Dennison's transparent protective films are designed to protect display screens, without compromising their optical clarity or functionality. Its tough surface provides superior scratch resistance and shields screens from fingerprint smudges, bacteria and ultra-violet rays.

The adhesive is engineered to prevent the entrapment of air, making application a breeze. An anti-glare feature gives added advantage when viewed indoors or out. Reduce cost and material wastage by protecting your valuable surfaces during production, handling and storage so that your customers receive your products the way you intended, flawless.

Here at Avery Dennison, you will be glad to know we've got you covered in more ways than one.

### M71100

4M CL PET HAGF TC/R8001/2M CL PET




- Anti-fingerprint
- Anti-scratch performance with more than 3H hardness surface treatment
- Prevents air entrapment during application and reapplication
- Anti-glare surface treatment
- Anti-ultraviolet rays up to 99%

### **MZ1101**

4M CL PET HAB TC/R8001/2M CL PET After Market




- Long-lasting anti-bacterial function
- Excellent clarity with more than 90% transmitivity (gloss)
- Prevents air entrapment during application and reapplication
- Anti-scratch performance with more than 3H hardness surface treatment



### **MZ1102**

4M CL PET HTC/R8087/2M CL PET OEM



- Prevents unwanted static charge during application
- Excellent clarity with more than 90% transmitivity rate
- Prevents air entrapment during application and reapplication
- Anti-scratch performance with more than 3H hardness surface treatment
- UV ink printable for superior print finishing

- UV ink printable for superior print finishing
- Excellent clarity with more than 90% transmitivity rate
- Prevents air entrapment during application and reapplication
- Anti-scratch performance with more than 3H hardness surface treatment

### 75150

2 Mil Clear BOPP TC/R300/1 Mil Polyester OEM



- Economical protective film solution
- Prevents screen from scratches during production and handling
- Removes cleanly without residue
- Topcoated to deliver good printability